

1994

ieee

international

reliability

physics

proceedings



IEEE

32nd annual

San Jose, California • April 12, 13, 14, 1994

**Sponsored by
the IEEE Electron Devices Society and
the IEEE Reliability Society**

IEEE Catalog No. 94CH3332-4

1994 INTERNATIONAL RELIABILITY PHYSICS SYMPOSIUM

SYMPOSIUM OFFICERS

GENERAL CHAIR.....R. C. Blish II, *Intel*
VICE GENERAL CHAIRJ. W. McPherson, *Texas Instruments*
SECRETARY P. F. Engel, *Hewlett-Packard*
FINANCE.....J. G. Cottle, *University South Florida*

SYMPOSIUM COMMITTEE CHAIRS

TECHNICAL PROGRAM P. J. Boudreaux, *Laboratory for Physical Sciences*
PUBLICITY A. K. Goel, *Oneida Research Services*
REGISTRATION A. G. Street, *Integrated Reliability Services*
ARRANGEMENTSA. G. Rawers, *Integrated Information*
AUDIO-VISUAL.....S. K. Groothuis, *Texas Instruments*
PUBLICATIONSJ. T. McCullen, *Intel*
EQUIPMENT DEMOS A. N. Campbell, *Sandia National Laboratories*
TUTORIAL.....B. N. Agarwala, *IBM Microelectronics*
WORKSHOPS..... B. H. Yun, *SUNY New Paltz*
CONSULTANT..... R. C. Walker, *SAR Associates*
CONSULTANT..... D. F. Barber, *Scien-Tech Associates*

BOARD OF DIRECTORS

D. A. Baglee <i>Intel</i>	J. W. McPherson <i>Texas Instruments</i>
R. C. Blish, II <i>Intel</i>	H. A. Schafft <i>NIST</i>
L. A. Kasprzak <i>Franciscan University</i>	R. W. Thomas <i>Oneida Research Services</i>
P. E. Kennedy <i>Management Sciences</i>	M. H. Woods <i>Intel</i>

Published by

the ELECTRON DEVICE SOCIETY and the RELIABILITY SOCIETY

of the

INSTITUTE OF ELECTRICAL AND ELECTRONICS ENGINEERS, INC.

Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limits of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through the Copyright Clearance Center, 21 Congress Street, Salem, MA 01970. Instructors are permitted to photocopy isolated articles for noncommercial classroom use without fee. For other copying, reprint or republication permission, write to IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, P.O. Box 1331, Piscataway, NJ 08855-1331. All rights reserved. Copyright © 1994 by the Institute of Electrical and Electronics Engineers, Inc.

IEEE Catalog No.	94CH3332-4	
Library of Congress No.	82-640313	Serial
ISBN:	0-7803-1357-7	Softbound
	0-7803-1358-5	Casebound
	0-7803-1359-3	Microfiche

TABLE OF CONTENTS

BUILDING IN RELIABILITY

Session Chair: Barbara Vasquez

Building Reliability into a High Performance 4-Level Metallization System <i>M.L. Dreyer, J. Mohr, and T. Zirkle</i>	1
Accurate, Predictive Modeling of Soft Error Rate Due to Cosmic Rays and Chip Alpha Radiation <i>G.R. Srinivasan, P.C. Murley, and H.K. Tang</i>	12
HC Reliability of 0.5 μm BiCMOS Transistors: Dependence on Link Base Slot Depth and the Design Implications for reliability & Performance <i>C.J. Varker, J. Kirchgessner, T. Zirkle, and E. Howard</i>	17
Toward the Maieutic Management of Business Systems <i>R.P. Goldwater, H. Berens, F. Jonath, B. Vasquez, and A. Jonath</i>	23

HOT CARRIERS IN BULK AND SOI

Session Co-Chairs: Eric Synder and Elyse Rosenbaum

Analysis of Externally Imposed Mechanical Stress Effects on the Hot-Carrier-Induced Degradation of MOSFETs <i>R. Degraeve, I. De Wolf, G. Groeseneken, and H.E. Maes</i>	29
Characterization of Hot-Carrier-Induced Degradation in p-Channel MOSFETs by Total Injected Charge Techniques <i>D.-H. Huang, E.E. King, and L.J. Palkuti</i>	34
✓Effect of Plasma-Induced Charging Damage on n-Channel and p-Channel MOSFET Hot Carrier Reliability <i>K.R. Mistry, B.J. Fishbein, and B.S. Doyle</i>	42
✓Gate Oxide Thickness Effect on Hot-Carrier Reliability in 0.35 μm NMOS Device <i>S. Aur and R.A. Chapman</i>	48
Characterization of Hot-Carrier Effects in Thin-Film, Fully-Depleted, SOI MOSFETs <i>Z.J. Ma, H.J. Wann, M. Chan, J. King, Y.C. Cheng, P.K. Ko, and C. Hu,</i>	52
Hot-Carrier-Induced Degradation in Ultra-Thin, Fully-Depleted, Deep-Submicron nMOS & pMOS SOI Transistors <i>T. Tsuchiya, T. Ohno, Y. Kado, and J. Kai</i>	57
Voltage Overshoots and n-MOSFET Hot-Carrier Robustness in VLSI Circuits <i>K.R. Mistry, R. Hokinson, B. Gieseke, T.F. Fox, R.P. Preston, and B.S. Doyle</i>	65

ELECTRONIC PACKAGING

Session Co-Chairs: Melissa Shell-DeGuzman and Patricia Speicher

✓ THB Reliability Models and Life Prediction for Intermittently-Powered Non-Hermetic Components <i>C.G. Shirley</i>	72
✓ Ambient Moisture Characterization of Thin Small Outline Packages (TSOPs) <i>M. Prud'homme</i>	79
Effect of Contamination on Copper Migration in TAB Tape Structures <i>D.A. Nieman</i>	87
The Effects of Materials and Post-Mold Profiles on Plastic Encapsulated Integrated Circuits <i>R. Mosbarger and D.J. Hickey</i>	93
Effect of Polyimide Surface Morphology and Chemistry on Package Cracking Induced by Interfacial Delamination <i>M. Amagai, M. Ohsumi, E. Kawasaki, R. Baumann, and H. Kitagawa</i>	101
Mechanical Properties and Adhesion Measurements of Films used in Advanced Packages <i>M. Shell-De Guzman, M. Hack, and G. Neubauer</i>	108
Simplified and Practical Estimation of Package Cracking During Reflow Soldering Process <i>K. Sawada, T. Nakazawa, N. Kawamura, K. Matsumoto, Y. Hiruta, and T. Sudo</i>	114

DIELECTRICS I

Session Co-Chairs: Peng Fang and Dave Dumin

✓ Field and Temperature Acceleration of Time-Dependent Dielectric Breakdown in Intrinsic Thin SiO ₂ <i>J.S. Suehle, P. Chaparala, C. Messick, W.M. Miller, and K.C. Boyko</i>	120
Effects of Temperature and Defects on Breakdown Lifetime of Thin SiO ₂ at Low Voltages <i>K.F. Schuegraf and C. Hu</i>	126
✓ Modeling Ultrathin Dielectric Breakdown on Correlation of Charge Trap-Generation to Charge-to Breakdown <i>P.P. Apte and K.C. Saraswat</i>	136
✓ High Field Emission Related Thin Oxide Wearout and Breakdown <i>D.J. Dumin, S. Mopuri, S. Vanchinathan, R.S. Scott, and R. Subramoniam</i>	143
Accurate Simulation of EPROM Hot-Carrier Induced Degradation Using Physics Based Interface and Oxide Charge Generation Models <i>J.Z. Peng, Q. Lin, P. Fang, M. Kwan, S. Longcor, and J. Lien</i>	154

Highly-Reliable Ultra-Thin Oxide Formation Using Hydrogen-Radical-Balanced Steam Oxidation Technology <i>T. Ohmi, K. Nakamura, and K. Makihara</i>	161
---	-----

Stress-induced Low-Level Leakage Mechanism of Ultrathin Silicon Dioxide Films Caused by Neutral Oxide Trap Generation <i>M. Kimura and H. Koyama</i>	167
---	-----

METALLIZATION: INTERCONNECT ELECTROMIGRATION

Session Co-Chairs: Anthony Oates and William Filter

Electromigration Reliability Improvement of W-Plug Vias by Titanium Layering <i>C.D. Graas, H.A. Le, J.W. McPherson, and R.H. Havemann</i>	173
---	-----

Improvement in the Electromigration Lifetime Using Hyper-Textured Aluminum Formed on Amorphous Tantalum-Aluminum Underlayer <i>H. Toyoda, T. Kawanoue, M. Hasunuma, H. Kaneko, and M. Miyauchi</i>	178
---	-----

Electromigration Characteristics of High-Temperature Sputtered Al-Alloy Metallization <i>K. Hashimoto, K. Touchi, and H. Onoda</i>	185
---	-----

Wide Line, Low Current Electromigration in Al-Cu Metallization with Refractory Underlayer <i>B. Baerg, R. Crandall, and K. Wu</i>	192
--	-----

Wafer-Level Pulsed dc Electromigration Response at Very High Frequencies <i>D.G. Pierce, E.S. Snyder, S.E. Swanson, and L.W. Irwin</i>	198
---	-----

Segregation of Cu to Grain Boundaries by Aging Treatment and its Effects on EM Resistance for AlCu/TiN Lines <i>T. Nemoto, and T. Nogami</i>	207
---	-----

Two Electromigration Failure Modes in Polycrystalline Aluminum Interconnects <i>E.M. Atakov, J.J. Clement, and B. Miner</i>	213
--	-----

DIELECTRICS II / BIR II

Session Co-Chairs: James Chung and Jim Prendergast

Relation Between Stress-Induced Leakage Current & Dielectric Breakdown in SiN-Based Antifuses <i>H. Yasuda, N. Ikeda, K. Hama, M.T. Takagi, and I. Yoshii</i>	225
--	-----

The Effect of Plasma-Induced Oxide and Interface Degradation on Hot-Carrier Reliability <i>K. Noguchi and K. Okumura</i>	232
---	-----

Novel Methods for the Reliability Testing of Ferroelectric DRAM Storage Capacitors <i>C. Sudhama, R. Khamankar, J. Kim, B. Jiang, J.C. Lee, P.D. Maniar, R. Moazzami, R.E. Jones, and C.J. Mogab</i>	238
---	-----

Influence of BiCMOS Processing Steps on Thin Gate Oxide Quality <i>S. Whiston, B. Stakelum, M. O'Neill, and W. Lane</i>	243
Built-In Reliability Through Sodium Elimination <i>J. Chinn, Y.-S. Ho, M. Chang, and T.E. Turner</i>	249

METALLIZATION: MECHANICAL STRESS & ELECTROMIGRATION

Session Chair: Bill Baerg

Electromigration after Stress-Induced Migration Test in Quarter-Micron Al Interconnects <i>K. Hoshino, K. Koyama, and Y. Sugano</i>	252
Accurate, Non-Time-Intensive Evaluation of the Stress-Migration Endurance for Layered Al Interconnects <i>N. Matsunaga and H. Shibata</i>	256
Change of the Failure Mode of Layered Aluminum Conductors by Modification of Overlying Dielectric <i>D. Pramanik, V. Chowdhury, and V. Jain</i>	261
Interface Diffusion During Electromigration in Al Lines <i>R.A. Augur</i>	266

HOT-CARRIER / LATCHUP SIMULATIONS & ESD / FAILURE ANALYSIS I

Session Co-Chairs: Charvaka Duvvury, Tom Kopley, and Richard Anderson

iProbe-d: a Hot-Carrier and Oxide Reliability Simulator <i>P.-C. Li, G.I. Stamoulis and I.N. Hajj</i>	274
Designing Latchup Robustness in a 0.35 μm Technology <i>A. Amerasekera, S. Tamizh Selvam, and R.A. Chapman</i>	280
Photon Emission Study of ESD Protection Devices under Second Breakdown Conditions <i>H. Ishizuka, K. Okuyama, and K. Kubota</i>	286
Comparison of ESD Protection Capability of SOI and BULK CMOS Output Buffers <i>M. Chan, S.S Yuen, Z.-J. Ma, K.Y. Hui, P.K. Ko, and C. Hu</i>	292
Flash Eeprom Disturb Mechanisms <i>C. Dunn, C. Kaya, T. Lewis, T. Strauss, J. Schreck, P. Hefley, M. Middendorf, and T. San</i>	299
Mechanism for the n-field Device Failure in Double Level Metal CMOS Device <i>S.B. Kim, J.S. Paik, and C.G. Ko</i>	309
An Automated Test System for Fault Location in VLSI Circuits <i>T.P. Rogers and S. Molnar</i>	316
The Advent of Failure Analysis Software Technology <i>C.L. Henderson and R.D. Barnard</i>	325

DEVICE AND PROCESS

Session Co-Chairs: William Tonti and Neal Mielke

Characterization of Wafer Charging Mechanisms and Oxide Survival Prediction Methodology <i>W. Lukaszek, W. Dixon, M. Vella, C. Messick, S. Reno, and J. Shideler</i>	334
CMOS-SRAM Soft-Error Simulation System <i>S. Satoh, R. Sudo, H. Tashiro, N. Higaki, and N. Nakayama</i>	339
Simulating Total-Dose Radiation Effects on Circuit Behavior <i>R. Tu, G. Lum, P. Pavan, P. Ko, and C. Hu</i>	344
High Temperature Stressing of SiC JFETs at 300 °C <i>C.J. Scozzie, C.W. Tipton, W.M. DeLancey, J.M. McGarrity, and B. McLean</i>	351
The Impact of Intermetal Dielectric Layer and High Temperature Bake Test on the Reliability of Nonvolatile Memory Devices <i>E. Sakagami, N. Arai, H. Tsunoda, H. Egawa, Y. Yamaguchi, E. Kamiya, M. Takebuchi, K. Yamada, K. Yoshikawa, and S. Mori</i>	359
Long Term Charge Loss in EPROMs with ONO Interpoly Dielectric <i>M.R. Herrmann, M. Ciappa, and A. Schenk</i>	368
Reliability Mechanism of the Unprogrammed Amorphous Silicon Antifuse <i>R.J. Wong and K.E. Gordon</i>	378

FAILURE ANALYSIS II

Session Co-Chairs: Shekhar Khandekar and Michael Strizich

Impact of Structure Enhanced Defects Multiplication on Junction Leakage <i>B.Y. Tsui, Y.F. Hsieh, and C.H. Chang</i>	383
Novel Failure Analysis Techniques Using Photon Probing in a Scanning Optical Microscope <i>E.I. Cole Jr., J.M. Soden, J.L. Rife, D.L. Barton, and C.L. Henderson</i>	388
A New Mechanism of Pipeline Defect Formation in CMOS Devices <i>H. Belgal, G. Yuen, J. Grohs, L. Rozler, H. Gee, S. Broydo, H.A.R. Wegener, W. Owen, and J. Drori</i>	399
Via Failures Due to Water Emission from SOG <i>M. Hamanaka, S. Dohmae, K. Fujiwara, M. Shishino, and S. Mayumi</i>	405 x
Enhancing Reliability of CMOS Devices Using Electrical Techniques and Electron Spin Resonance Spectroscopy <i>H.L. Evans, R.K. Lowry, W.L. Schultz, T.J. Morthorst, P.M. Lenahan, and J.F. Conley</i>	410 x
dv/dt Induced Latching Failure in 1200V\400A Halfbridge IGBT Modules <i>W. Wu, M. Held, N. Umbricht, and A. Birolini</i>	420 x

In-Depth Resolution of Integrated Circuits via X-ray Based Line Modified Asymmetric Crystal Topography <i>W.T. Beard, K.A. Green, X.J. Zhang, and R.W. Armstrong</i>	425
---	-----

PHOTONICS AND COMPOUND SEMICONDUCTOR DEVICE AND ASSEMBLY

Session Co-Chairs: Todd Larsen and William Burnett

Reliability of a GaAs MMIC Process Based on 0.5 μm Au/Pd/Ti Gate MESFETs <i>A. Bensoussan, P. Coval, W.J. Roesch, and T. Rubalcava</i>	434
Base and Collector Leakage Currents and Their Relevance to the Reliability of AlGaAs/GaAs Heterojunction Bipolar Transistors <i>J.J. Liou, K.B. Pareb, C.I. Huang, B. Bayraktaroglu, and D.C. Williamson</i>	446
Injection-Enhanced Defect Reactions in III-V Light Emitting Diodes <i>T.V. Torchinskaya and A.M. Rybak</i>	454
Thermomechanical Reliability Assessment in SM- and COB-Technology by Combined Experimental and Finite Element Method <i>R. Dudek and B. Michel</i>	458
Reliability of Laser Diode Modules in Temperature-Uncontrolled Environment <i>M. Ciappa and P. Malberti</i>	466
High-Voltage Electron-Beam-Induced-Current Imaging of Microdefects in Laser Diodes and MESFETS <i>D.M. Hwang, L. Dechiaro, M.C. Wang, P.S.D. Lin, C.E. Zah, S. Ovadia, T.P. Lee, D. Darby, Y.A. Tkachenko, and J.C.M. Hwang</i>	470
<i>Biographies</i>	478
<i>1994 Committees</i>	495
<i>IEEE Fellow Citation</i>	499
<i>1992 Best Paper Award</i>	500
<i>1992 Outstanding Paper Awards</i>	501
<i>1994 Equipment Demonstrations</i>	503